

WinDbg. From A to Z!

Everything you need to know about WinDbg.
And nothing you don't.

By Robert Kuster

December 2007. All rights reserved.
www.windbg.info

Why WinDbg?

Because WinDbg is:

- used by the Microsoft Windows product team **to develop Windows**
- much more powerful than the well-known Visual Studio debugger
- extensible through extension DLLs
- its debug engine is part of the Windows OS

Up from Windows XP `dgbeng.dll` and `dbghelp.dll` are installed in “`C:\Windows\System32`”.

Why “WinDbg. From A to Z” ?

- WinDbg's documentation is sub-optimal for people new to the topic
- Without good documentation and examples the learning curve for WinDbg is very steep

In fact many people give up soon after the installation.

- “*WinDbg. From A to Z!*” is a quick start and introduction to WinDbg. After reading it you will have a good feeling about what WinDbg is and what it can do for you.

While many parts of “*WinDbg. From A to Z!*” are based on user-mode examples, you will benefit from it even if you are doing kernel-mode development. Note that the same debugging engine is running behind the scenes, no matter if you debug user-mode or kernel-mode code. Essentially the only visible difference for kernel-mode debugging is that you will end up using another set of extension commands.


Table of Contents - Roadmap

→ Behind the Scenes

- Using WinDbg
- Global Flags
- Application Verifier
- Process Dumps

Debugging Tools for Windows XP

- WinDbg.exe
 - ntsd.exe
 - cdb.exe
 - kd.exe
 - dbgsrv.exe
 - userdump.exe
 - drwtsn32.exe
-
- livekd.exe
 - OlyDbg.exe
 - ProcessExplorer.exe
 - ...



Debug Help Library: dbghelp.dll

- Documented in MSDN
- Included in the operating system, starting with Windows 2000
- Contains support routines:
 - a) Process Dumping (MiniDumpWriteDump , DbgHelpCreateUserDump, ..)
 - b) Obtaining Stack Traces (StackWalk64, ...)
 - c) Symbol Handling (SymFromAddr, Sym* ..)
 - d) Obtaining info about executable images (ImageNtHeader, FindDebugInfoFile, ..)

Many c) and d) functions are duplicates (same declaration) also found and exported from imagehlp.dll. While many imagehlp functions are simply forwarded to dbghelp functions, a disassembly of some functions reveals that they are obviously build from the same sources (see disassembly on next slide). While some MS Tools prefer the usage of DbgHelp.dll, some tools like Visual Studio or Dependency Walker rely on imagehlp.dll or use both libraries.

dbghelp!ImageNtHeader vs. imagehlp!ImageNtHeader

Command	Command
<pre>0:000> uf dbghelp!ImageNtHeader dbghelp!RtlpImageNtHeader: 6d59a770 6a0c push 0Ch 6d59a772 68e832586d push offset dbghelp!ArmFunctionEntryCache::`vtable'+0xc (6d5832e8) 6d59a777 e8d0e00100 call dbghelp!_SEH_prolog (6d5b884c) 6d59a77c 33c0 xor eax,eax 6d59a77e 8b4d08 mov ecx,dword ptr [ebp+8] 6d59a781 85c9 test ecx,ecx 6d59a783 743c je dbghelp!RtlpImageNtHeader+0x51 (6d59a7c1) dbghelp!RtlpImageNtHeader+0x15: 6d59a785 83f9ff cmp ecx,0FFFFFFFh 6d59a788 7437 je dbghelp!RtlpImageNtHeader+0x51 (6d59a7c1) dbghelp!RtlpImageNtHeader+0x1a: 6d59a788 2145fc and dword ptr [ebp-4],eax 6d59a78d 6681394d5a cmp word ptr [ecx],5A4Dh 6d59a792 7529 jne dbghelp!RtlpImageNtHeader+0x4d (6d59a7bd) dbghelp!RtlpImageNtHeader+0x24: 6d59a794 8b513c mov edx,dword ptr [ecx+3Ch] 6d59a797 81fa00000010 cmp edx,10000000h 6d59a79d 731e jae dbghelp!RtlpImageNtHeader+0x4d (6d59a7bd) dbghelp!RtlpImageNtHeader+0x2f: 6d59a79f 8d040a lea eax,[edx+ecx] 6d59a7a2 8945e4 mov dword ptr [ebp-1Ch],eax 6d59a7a5 813850450000 cmp dword ptr [eax],4550h 6d59a7ab 7410 je dbghelp!RtlpImageNtHeader+0x4d (6d59a7bd) dbghelp!RtlpImageNtHeader+0x3d: 6d59a7ad 33c0 xor eax,eax 6d59a7af 8945e4 mov dword ptr [ebp-1Ch],eax 6d59a7b2 eb09 jmp dbghelp!RtlpImageNtHeader+0x4d (6d59a7bd) dbghelp!RtlpImageNtHeader+0x4d: 6d59a7bd 834dfcff or dword ptr [ebp-4],0FFFFFFFh dbghelp!RtlpImageNtHeader+0x51: 6d59a7c1 e8c1e00100 call dbghelp!_SEH_epilog (6d5b8887) 6d59a7c6 c20400 ret 4 dbghelp!ImageNtHeader: 6d59a7ce 8bf1 mov edi,edi 6d59a7d0 55 push ebp 6d59a7d1 8bec mov ebp,esp 6d59a7d3 5d pop ebp 6d59a7d4 e997ffff jmp dbghelp!RtlpImageNtHeader (6d59a770)</pre>	<pre>0:000> uf imagehlp!ImageNtHeader imagehlp!RtlpImageNtHeader: 76c135d2 6a0c push 0Ch 76c135d4 682036c176 push offset imagehlp!`string'+0x2c (76c13620) 76c135d9 e80edcffff call imagehlp!_SEH_prolog (76c111ec) 76c135de 33c0 xor eax,eax 76c135e0 8b4d08 mov ecx,dword ptr [ebp+8] 76c135e3 85c9 test ecx,ecx 76c135e5 7430 je imagehlp!RtlpImageNtHeader+0x51 (76c13617) imagehlp!RtlpImageNtHeader+0x15: 76c135e7 83f9ff cmp ecx,0FFFFFFFh 76c135ea 742b je imagehlp!RtlpImageNtHeader+0x51 (76c13617) imagehlp!RtlpImageNtHeader+0x1a: 76c135ec 2145fc and dword ptr [ebp-4],eax 76c135ef 6681394d5a cmp word ptr [ecx],5A4Dh 76c135f4 751d jne imagehlp!RtlpImageNtHeader+0x4d (76c13613) imagehlp!RtlpImageNtHeader+0x24: 76c135f6 8b513c mov edx,dword ptr [ecx+3Ch] 76c135f9 81fa00000010 cmp edx,10000000h 76c135ff 7312 jae imagehlp!RtlpImageNtHeader+0x4d (76c13613) imagehlp!RtlpImageNtHeader+0x2f: 76c13601 8d040a lea eax,[edx+ecx] 76c13604 8945e4 mov dword ptr [ebp-1Ch],eax 76c13607 813850450000 cmp dword ptr [eax],4550h 76c1360d 0f857c3d0000 jne imagehlp!RtlpImageNtHeader+0x3d (76c1738f) imagehlp!RtlpImageNtHeader+0x3d: 76c13613 834dfcff or dword ptr [ebp-4],0FFFFFFFh imagehlp!RtlpImageNtHeader+0x51: 76c13617 e80bdccfff call imagehlp!_SEH_epilog (76c11227) 76c1361c c20400 ret 4 imagehlp!RtlpImageNtHeader+0x3d: 76c1738f 33c0 xor eax,eax 76c17391 8945e4 mov dword ptr [ebp-1Ch],eax 76c17394 e97ac2ffff jmp imagehlp!RtlpImageNtHeader+0x4d (76c13613) imagehlp!ImageNtHeader: 76c177ad 8bf1 mov edi,edi 76c177af 55 push ebp 76c177b0 8bec mov ebp,esp 76c177b2 5d pop ebp 76c177b3 e91abeffff jmp imagehlp!RtlpImageNtHeader (76c135d2)</pre>

ImageHlp Dependencies

Dependency Walker - [imagehlp.dll]

File Edit View Options Profile Window Help

PI Ordinal ^ Hint Function Entry Point

PI	Ordinal ^	Hint	Function	Entry Point
C	N/A	N/A	SymGetLineNext	Not Bound
C	N/A	N/A	SymGetLinePrev64	Not Bound
C	N/A	N/A	SymGetLinePrev	Not Bound
C	N/A	N/A	SymGetModuleBase64	Not Bound
C	N/A	N/A	SymGetModuleBase	Not Bound
C	N/A	N/A	SymGetModuleInfo64	Not Bound
C	N/A	N/A	SymGetModuleInfo	Not Bound
C	N/A	N/A	SymGetModuleInfoW64	Not Bound
C	N/A	N/A	SymGetModuleInfoW	Not Bound
C	N/A	N/A	SymGetOptions	Not Bound
C	N/A	N/A	SymGetSearchPath	Not Bound
C	N/A	N/A	SymGetSymFromAddr64	Not Bound
C	N/A	N/A	SymGetSymFromAddr	Not Bound
C	N/A	N/A	SymGetSymFromName64	Not Bound
C	N/A	N/A	SymGetSymFromName	Not Bound
C	N/A	N/A	SymGetSymNext64	Not Bound
C	N/A	N/A	SymGetSymNext	Not Bound
C	N/A	N/A	SymGetSymPrev64	Not Bound
C	N/A	N/A	SymGetSymPrev	Not Bound
C	N/A	N/A	SymGetTypeFromName	Not Bound
C	N/A	N/A	SymGetTypeInfo	Not Bound
C	N/A	N/A	SymInitialize	Not Bound
C	N/A	N/A	SymLoadModule64	Not Bound
C	N/A	N/A	SymLoadModule	Not Bound
C	N/A	N/A	SymMatchFileName	Not Bound
C	N/A	N/A	SymMatchString	Not Bound


Debugger Engine API: dbgeng.dll

- Documented in WinDbg's documentation
To get the header and lib files for dbgeng.dll: Choose "Custom Installation" and select "SDK" components in addition to the standard items.
- Included in the operating system, starting with Windows XP
- Accessible through interfaces:
→ IDebugAdvanced, IDebugControl, IDebugSystemObjects, ...
- Everything that can be performed by a debugger is exposed by an interface

Fact 1: WinDbg is really just a shell on top of a debugging engine.

Fact 2: You can write new standalone tools on top of this engine.

DbgEng Dependencies



Debug Symbols

- Executables are just sequences of raw bytes
- Symbols help the debugger to:
 - map raw addresses in the executable to source-code lines
 - analyze internal layout and data of applications
- Program Database → PDB Files
 - The newest Microsoft debug information format
COFF and CodeView are considered deprecated.
 - PDB's are stored in a file separately from the executable
 - PDB format is not documented
 - There are special APIs to work with it: DbgHelp.dll and MsDiaXY.dll

Kinds of Debug Information


Kind of information	Description
Public functions and variables	Functions and variables visible across several compilation units (source files)
FPO information	Additional information needed for retrieving stack-frames when compiling with FPO optimization (frame pointer omission)
Private functions and variables	All functions and variables including local variables, function parameters, ..
Source file and line information	Source file and line information
Type information	Additional information for functions and variables. Variables: type (int, string, ..) Functions: number and type of parameters, calling convention, return value

linker:
`/pdbstripped`

Public Symbols for MS modules (kernel32.dll, user32.dll, ..) are always stripped.

Generating Debug Information

- The build process consists of two steps
 - 1) compiler: generates machine instructions which are stored into .OBJ files
 - 2) linker: combines all available .OBJ and .LIB files into the final executable
- For Debug Information we also need two steps:
 - 1) compiler: generates debug information for every source file
 - 2) linker: combines available debug information into the final set of debug information for the executable



- Compiler options: `/Z7`, `/Zi`, `/ZI`
- Linker options: `/debug`, `/pdb`, `/pdbstripped`

Point of interest for Static libraries: Use `/Z7` to store the debug information in the resulting .LIB file.

Matching Debug Information


- Signature stored into executable and PDB file during build

For PDB 2.0 files: Time Stamp
For PDB 7.0 files: GUID generated during build

- For a debugger match this signature must be the same

- Algorithm to search PDB files:

1. Try module (EXE or DLL) folder
2. Try name and path specified in the PE file (the NB10 or RSDS debug header)
3. Try environment variables:
_NT_SYMBOL_PATH and **_NT_ALT_SYMBOL_PATH**



Call Stack

- **Without valid symbols**

```
002df350 ntdll!DbgBreakPoint  
002df43c TestApplication+0x127eb  
002df544 TestApplication+0x12862  
002df550 MFC80UD!AfxDlgProc+0x3e  
002df57c USER32!InternalCallWinProc+0x28  
002df5f8 USER32!UserCallDlgProcCheckWow+0x102  
002df648 USER32!DefDlgProcWorker+0xb2  
002df668 USER32!DefDlgProcW+0x29  
002df694 USER32!InternalCallWinProc+0x28  
002df70c USER32!UserCallWinProcCheckWow+0x16a  
002df744 USER32!CallWindowProcAorW+0xab  
002df764 USER32!CallWindowProcW+0x1b  
002df788 MFC80UD!CWnd::DefWindowProcW+0x32  
002df7a4 MFC80UD!CWnd::Default+0x3b  
002df7c8 MFC80UD!CDialog::HandleInitDialog+0xd3  
002df900 MFC80UD!CWnd::OnWndMsg+0x817  
002df920 MFC80UD!CWnd::WindowProc+0x30  
002df99c MFC80UD!AfxCallWndProc+0xee  
002df9bc MFC80UD!AfxWndProc+0xa4  
002df9f8 MFC80UD!AfxWndProcBase+0x59
```

- **With valid symbols**

```
002df350 ntdll!DbgBreakPoint  
002df43c TestApplication!CMyDlg::PreInit+0x3b [MyDlg.cpp @ 75]  
002df544 TestApplication!CMyDlg::OnInitDialog+0x52 [MyDlg.cpp @ 91]  
002df550 MFC80UD!AfxDlgProc+0x3e  
002df57c USER32!InternalCallWinProc+0x28  
002df5f8 USER32!UserCallDlgProcCheckWow+0x102  
002df648 USER32!DefDlgProcWorker+0xb2  
002df668 USER32!DefDlgProcW+0x29  
002df694 USER32!InternalCallWinProc+0x28  
002df70c USER32!UserCallWinProcCheckWow+0x16a  
002df744 USER32!CallWindowProcAorW+0xab  
002df764 USER32!CallWindowProcW+0x1b  
002df788 MFC80UD!CWnd::DefWindowProcW+0x32  
002df7a4 MFC80UD!CWnd::Default+0x3b  
002df7c8 MFC80UD!CDialog::HandleInitDialog+0xd3  
002df900 MFC80UD!CWnd::OnWndMsg+0x817  
002df920 MFC80UD!CWnd::WindowProc+0x30  
002df99c MFC80UD!AfxCallWndProc+0xee  
002df9bc MFC80UD!AfxWndProc+0xa4  
002df9f8 MFC80UD!AfxWndProcBase+0x59
```


Invasive vs. Noninvasive Debugging and Attaching

- Invasive attach:
 - `DebugActiveProcess` is called
 - break-in thread is created
 - prior to Windows XP: target application is killed on debugger exit or detach
 - there can be **only one invasive debugger attached to a process at any time**
- Noninvasive attach:
 - `OpenProcess` is called
 - no break-in thread is created
 - we don't attach to the process as a debugger
 - all threads of the target application are frozen
 - we **can change and examine memory**
 - we **cannot set breakpoints**
 - we **cannot step through the application**
 - we can exit or detach the debugger without killing the target application
 - we **can attach several noninvasive debuggers to a process (+ one invasive debugger)**
 - useful if:
 - the target application is being debugged by Visual Studio (or any other invasive debugger), we can still attach WinDBG as a noninvasive debugger in order to get additional information
 - the target application is completely frozen and cannot launch the break-in thread necessary for a true attach

Exceptions


- A system mechanism that isn't language specific.
- Exceptions are made accessible through language extensions.
Example: the __try & __except construct in C++.
- Don't use try-catch-except for condition checking in time critical parts of your application.
For every exception the system creates an exception record, searches for frame based exception handlers (catch-except) through all stack frames in reverse order, and finally continues with program execution. This can result in performance degradation due to the execution of hundreds of instructions.

Exception Dispatching



- 1) The system first attempts to notify the process's debugger, if any
- 2) If the process is not being debugged, or if the associated debugger does not handle the exception (WinDbg → gN == Go with Exception Not Handled), the system attempts to locate a frame-based exception handler
- 3) If no frame-based handler can be found, or no frame-based handler handles the exception, the UnhandledExceptionFilter makes a second attempt to notify the process's debugger. This is known as **second-chance** or **last-chance** notification.
- 4) If the process is not being debugged, or if the associated debugger does not handle the exception, the postmortem debugger specified in **AeDebug** will be started.

Exception Dispatching and SetUnhandledExceptionFilter



AeDebug? Postmortem Debugging!

- Set/Change postmortem debugger:

- WinDbg -I
- drwtsn32 -i

- Postmortem settings:

HKLM\SOFTWARE\Microsoft\Windows NT\CurrentVersion\AeDebug

Whatever program is specified in AeDebug is run.
No validation is made that the program is actually a debugger!




Table of Contents - Roadmap

- ✓ Behind the Scenes
- **Using WinDbg**
 - Global Flags
 - Application Verifier
 - Process Dumps

WinDbg Commands

- Regular commands

- are used to debug processes
- Examples: k, lm, g

- Meta or Dot-Commands

- usually control the behavior of the debugger
- Examples: .sympath, .cls, .lastevent, .detach, .if

- Extension Commands

- implemented as exported functions in extension DLLs
- are a large part of what makes WinDbg such a powerful debugger
- there is a set of preinstalled extension DLLs: exts.dll, ntsdexts.dll, uext.dll, wow64exts.dll, kdexts.dll, ..
- we can write our own extension DLLs
- Examples: !analyze, !address, !handle, !peb

Main Extensions

- !exts.help → General Extensions
- !Uext.help → User-Mode Extensions (non-OS specific)
- !Ntsdexts.help → User-Mode Extensions (OS specific)
- !Kdexts.help → Kernel-Mode Extensions
- !logexts.help → Logger Extensions
- !clr10\sos.help → Debugging Managed Code
- !wow64exts.help → Wow64 Debugger Extensions
- ..

Symbols in WinDbg

- **_NT_SYMBOL_PATH** environment variable must be set

Example for MS symbols:

`_NT_SYMBOL_PATH=srv*C:\Symbols\MsSymbols*http://msdl.microsoft.com/download/symbols;`

With this setting WinDbg will automatically download all needed symbols for MS components (i.e. kernel32) from the MS server.

- In WinDbg's GUI you can access symbol settings from:

- (Menu) File → Symbol File Path ... (Ctrl+S)

- Useful Commands:

- .sympath → get/set path for symbol search
 - .sympath +XY → append XY directory to the searched symbol path
 - !sym noisy → instructs the debugger to display information about its search for symbols
 - !ld kernel32 → load symbols for kernel32.dll
 - !ld * → load symbols for all modules
 - .reload → reloads symbol information
 - x kernel32!* → examine and list all symbols in kernel32
 - x kernel32!*LoadLibrary* → list all symbols in kernel32 which contain *LoadLibrary*
 - dt ntdll!* → display all variables in ntdll

Sources in WinDbg

- **_NT_SOURCE_PATH** environment variable must be set

Example:

`_NT_SOURCE_PATH=C:\Sources`

- In WinDbg's GUI you can access source settings from:


- (Menu) File → Source File Path ... (Ctrl+P)

- Useful Commands:

- `.srcpath` → get/set path for source-file search
 - `.srcpath+ XY` → append XY directory to the searched source path

Important: Be sure to **set up the symbols and sources for WinDbg correctly**. This is the first and most important step where people new to WinDbg often fail. Note that without symbols for MS components (kernel32.dll, ntdll.dll,..) many commands in the following sections will not work.

Processes and Threads on Windows NT



- Every Windows process is represented by an executive process block (EPROCESS) in kernel-mode
- EPROCESS points to a number of related data structures; for example, each process has one or more threads represented by executive thread blocks (ETHREAD)
- EPROCESS points to a process environment block (PEB) in process address space
- ETHREAD points to a thread environment block (TEB) in process address space

PEB and TEB

- PEB = Process Environment Block
 - basic image information (base address, version numbers, module list)
 - process heap information
 - environment variables
 - command-line parameter
 - DLL search path
 - Display it: !peb, dt nt!_PEB
- TEB = Thread Environment block
 - stack information (stack-base and stack-limit)
 - TLS (Thread Local Storage) array
 - Display it: !teb, dt nt!_TEB

FACT: Many WinDbg commands (`!m`, `!dlls`, `!imgreloc`, `!tls`, `!gle`) rely on the data retrieved from PEB and TEB.

Example - PEB “dump”

```
0:001> dt nt!_PEB -r @$peb // @$peb = address of our process's PEB (see pseudo-register syntax)
+0x000 InheritedAddressSpace : 0 ''
+0x001 ReadImageFileExecOptions : 0 ''
+0x002 BeingDebugged      : 0x1 ''
..
+0x008 ImageBaseAddress   : 0x00400000
+0x00c Ldr                : 0x7d6a01e0 _PEB_LDR_DATA
    +0x000 Length        : 0x28
    +0x004 Initialized     : 0x1 ''
    +0x008 SsHandle       : (null)
    +0x00c InLoadOrderModuleList : _LIST_ENTRY [ 0x2d1eb0 - 0x2da998 ]
        +0x000 Flink        : 0x002d1eb0 _LIST_ENTRY [ 0x2d1f08 - 0x7d6a01ec ]
        +0x004 Blink         : 0x002da998 _LIST_ENTRY [ 0x7d6a01ec - 0x2d9f38 ]
+0x014 InMemoryOrderModuleList : _LIST_ENTRY [ 0x2d1eb8 - 0x2da9a0 ]
..
+0x01c InInitializationOrderModuleList : _LIST_ENTRY [ 0x2d1f18 - 0x2da9a8 ]
..
+0x024 EntryInProgress   : (null)
+0x010 ProcessParameters : 0x001c0000 _RTL_USER_PROCESS_PARAMETERS
    +0x000 MaximumLength  : 0x102c
    +0x004 Length         : 0x102c
    +0x008 Flags           : 0x4001
    +0x00c DebugFlags     : 0
..
+0x024 CurrentDirectory : _CURDIR
    +0x000 DosPath        : _UNICODE_STRING "D:\Development\Utils\"
    +0x008 Handle          : 0x00000024
+0x030 DllPath          : _UNICODE_STRING "C:\WINDOWS\system32;C:\WINDOWS\system;C:\WINDOWS;..."
..
```

WinDbg Commands for Retrieving Process and Module Information

Command	Description
!peb	displays a formatted view of the information in the process environment block (PEB)
dt nt!_PEB Addr	full PEB dump
!m	list loaded and unloaded modules
!mD	- - (output in Debugger Markup Language)
!m vm kernel32	verbose output (including image and symbol information) for kernel32
!lmi kernel32	similar implementation as an extension
!dlls	display list of loaded modules with loader specific information (entry point, load count)
!dlls -c kernel32	same as before for kernel32 only
!imgreloc	display relocation information
!dh kernel32	display the headers for kernel32

Example - Module Information

```
0:001>!dlls -c msvcrt
Dump dll containing 0x77ba0000:
0x002d40c0: C:\WINDOWS\system32\msvcrt.dll
    Base 0x77ba0000 EntryPoint 0x77baf78b Size 0x0005a000
    Flags 0x80084006 LoadCount 0x00000007 TlsIndex 0x00000000
        LDRP_STATIC_LINK
        LDRP_IMAGE_DLL
        LDRP_ENTRY_PROCESSED
        LDRP_PROCESS_ATTACH_CALLED

0:001> lm vm msvcrt
start end module name
77ba0000 77bfa000 msvcrt (deferred)
    Image path: C:\WINDOWS\system32\msvcrt.dll
    Image name: msvcrt.dll
    Timestamp: Fri Mar 25 03:33:02 2005 (4243785E)
    CheckSum: 0006288A
    ImageSize: 0005A000
    File version: 7.0.3790.1830
    Product version: 6.1.8638.1830
    ...
    CompanyName: Microsoft Corporation
    ProductName: Microsoft® Windows® Operating System
    InternalName: msvcrt.dll
    OriginalFilename: msvcrt.dll
    ProductVersion: 7.0.3790.1830
    FileVersion: 7.0.3790.1830 (srv03_sp1_rtm.050324-1447)
    FileDescription: Windows NT CRT DLL
    LegalCopyright: © Microsoft Corporation. All rights reserved.
```

WinDbg Commands for Retrieving Thread Information

Command	Description
~	thread status for all threads
~0	thread status for thread 0
~.	thread status for currently active thread
~*	thread status for all threads with some extra info (priority, StartAddress)
~* k	call stacks for all threads ~ !uniqstack
~<thread>s	set current thread
!gle	Get last error
!runaway	→ displays information about time consumed by each thread → quick way to find out which threads are spinning out of control or consuming too much CPU time
!teb	displays a formatted view of the information in the thread environment block (TEB)
dt nt!_TEB Addr	full TEB dump

Example - Threads

```
0:001> !runaway 7
User Mode Time
Thread      Time
0:d28      0 days 0:00:00.015
1:2b0      0 days 0:00:00.000

Kernel Mode Time
Thread      Time
0:d28      0 days 0:00:00.093
1:2b0      0 days 0:00:00.000

Elapsed Time
Thread      Time
0:d28      0 days 0:04:04.156
1:2b0      0 days 0:03:53.328

0:000> ~*
. 0  Id: dac.d28 Suspend: 1 Teb: 7efdd000 Unfrozen
    Start: TestApp!ILT+1415(_wWinMainCRTStartup) (0041158c)
    Priority: 0 Priority class: 32 Affinity: 3

1  Id: dac.2b0 Suspend: 1 Teb: 7efda000 Unfrozen
    Start: 00000001
    Priority: 0 Priority class: 32 Affinity: 3

0:000> !gle
LastErrorMessage: (Win32) 0 (0) - The operation completed successfully.
LastStatusValue: (NTSTATUS) 0 - STATUS_WAIT_0
```

Windows and Menus in WinDbg

WinDbg's windows can be docked or floating.

- 1) Docked Windows = the preferred way of using windows
 - Shrink and grow with the WinDbg frame
 - Are positioned and sized relatively to each other as the frame changes
 - Can be tabbed. Tabbed windows are overlaid
 - WinDbg supports multiple docks (handy for a multi-monitor system)
 - Ctrl-Tab iterates through all windows in all docks
- 2) Undocked or floating windows
 - Are always on top of the WinDbg window

Each window in WinDbg has its own menu.

- Menus can be accessed by a:
 - left-click on the menu button (next to the close button)
 - right-click on the title bar of a window
 - right-click on the tab of a tabbed window
- Be sure to **check these menus**. They are often hiding interesting features.

Example of a Running Instance of WinDbg

The screenshot shows a running instance of WinDbg (version 6.6.0007.5) with the following interface elements:


- Title Bar:** "D:\Development\Sources1\release\TestApp.exe" - WinDbg:6.6.0007.5
- Menu Bar:** File, Edit, View, Debug, Window, Help
- Toolbar:** Includes icons for file operations, assembly, registers, memory dump, and other debugger functions.
- Disassembly Window:** Shows assembly code for `TestApp!CTestApp::InitInstance`. The current instruction at address `0045b150` is highlighted. The assembly listing includes columns for offset, file name, instruction, and registers (push, mov, etc.).
- Source Window:** Displays the C++ source code for `testapp.cpp` corresponding to the assembly code.
- Registers Window:** Shows the CPU registers (eax, ebx, etc.) and their values.
- Calls Window:** Shows the call stack with frames 00, 01, 02, and 03. Frame 00 is highlighted.
- Context Menu:** A context menu is open over the assembly code, with several options checked:
 - Highlight instructions from current source line
 - Show source line for each instruction (highlighted with a red box)
 - Show source file for each instruction (highlighted with a red box)
- Status Bar:** Shows "Source, process, and current thread information" and "Ln 40, Col 1 | Sys 0:<Local> | Proc 000:1f28 | Thrd 000:20d8 | ASM | OVR | CAPS | NUM".
- Page Number:** 34
- Page Footer:** www.windbg.info

Debugger Markup Language (DML)

- DML allows debugger output to include directives and extra non-display information in the form of tags
- Debugger user interfaces parse out the extra information to provide new behaviors
- DML is primarily intended to address the following issues:
 - Linking of related information
 - Discoverability of debugger and extension functionality
 - Enhancing output from the debugger and extensions
- DML was introduced with version 6.6.0.7 of Debugging Tools


DML Command	Description
.dml_start	Kick off to other DML commands
.prefer_dml 1	Global setting: all DML-enhanced commands will produce DML output
.help /D a*	.help has a new DML mode where a top bar of links is given
.chain /D	.chain has a new DML mode where extensions are linked to a .extmatch
	Check “..\Debugging Tools for Windows\dml.doc” for more commands.

DML in WinDbg



- Note that you can click on any “link”
- If you right-click on it, you can even start the command in a new window

Memory: Stack Details



- From MSDN:
 - Each new thread receives its own stack space, consisting of both **committed** and **reserved** memory.
 - By default, each thread uses **1 Mb of reserved memory**, and one page of committed memory.
 - The system will commit one page block from the reserved stack memory as needed. (see MSDN CreateThread > dwStackSize > "Thread Stack Size").

Example - Stack Size for a Thread

```
0:000> !teb
TEB at 7ffdf000
    ExceptionList:      0012f784
    StackBase:        00130000
    StackLimit:       0012c000
...
0:000> dt ntdll!_TEB DeallocationStack 7ffdf000
+0xe0c DeallocationStack : 0x00030000


0:000> !address esp
    AllocBase : SubRegionBase - SubRegionSize
    00030000 : 0012c000 - 00004000
        Type      00020000 MEM_PRIVATE
        Protect   00000004 PAGE_READWRITE
        State     00001000 MEM_COMMIT
        Usage     RegionUsageStack
        Pid.Tid  e34.e78

0:000> ? 00130000 - 0012c000
Evaluate expression: 16384 = 00004000

0:000> ? 00130000 - 00030000
Evaluate expression: 1048576 = 00100000

0x004000 → Our thread has 4 pages or 16KB of committed memory.
0x100000 → Our thread has 256 pages or 1MB of reserved memory.
```

Memory: Stack Growth



- The ESP register points to the current stack location of a thread.
- If a program attempts to access an address within a guard page, the system raises a **STATUS_GUARD_PAGE_VIOLATION** (0x80000001) exception. A guard page provides a one-shot alarm for memory page access.
- If a stack grows until the end of reserved memory, a **STATUS_STACK_OVERFLOW** is raised.

Example - Stack Growth

```
0:000> !teb
TEB at 7ffdf000
    ExceptionList:      0012f784
    StackBase:          00130000
StackLimit:        0012c000
...
0:000> dt ntdll!_TEB DeallocationStack 7ffdf000
+0xe0c DeallocationStack : 0x00030000

0:000> ? 00130000 - 0012c000
Evaluate expression: 16384 = 00004000

0x0004000 → Our thread has 4 pages or 16KB of committed memory.
0x100000 → Our thread has 256 pages or 1MB of reserved memory.

-----
0:000> !teb
TEB at 7ffdf000
    ExceptionList:      0012f784
    StackBase:          00130000
StackLimit:        00033000
...
0:000> ? 00130000 - 00033000
Evaluate expression: 1036288 = 000fd000

0x0fd000 → Now our thread has 253 pages of committed memory.
The system will throw a stack-overflow exception if another page will be requested.
```

WinDbg Commands for Retrieving Call-Stack Information

Command	Description
<code>!uniqstack</code>	displays call-stacks for all of the threads in the current process
<code>!findstack MySymbol 2</code>	locates all call-stacks that contain MySymbol
<code>k</code>	display call stack for current thread
<code>kP</code>	P == full parameters for each function called
<code>kf</code>	f == distance between adjacent frames to be displayed (useful to check stack consumption of each frame)
<code>kv</code>	v == display FPO information + calling convention
<code>kb</code>	b == display the first three parameters passed to each function
<code>KM</code>	Output in DML format; frame numbers link to a .frame/dv command which displays locals for the frame

Example - UniqStack

```
0:000> !uniqstack
Processing 2 threads, please wait

. 0  Id: dac.154c Suspend: 1 Teb: 7efdd000 Unfrozen
    Start: TestApp!ILT+1415(_wWinMainCRTStartup) (0041158c)
    Priority: 0 Priority class: 32 Affinity: 3
ChildEBP RetAddr
002df44c 00411eeb ntdll!DbgBreakPoint
002df52c 783c2100 TestApp!CMyDialog::OnBnClicked_ExecuteBreakPoint+0x2b [d:\TestApp\MyDialog.cpp @ 72]
002df570 783c2842 MFC80UD!_AfxDispatchCmdMsg+0xb0
002df5d4 7839d671 MFC80UD!CCmdTarget::OnCmdMsg+0x2e2
002df610 7836142d MFC80UD!CDialog::OnCmdMsg+0x21
...
002dfffb8 0041371d TestApp!__tmainCRTStartup+0x289 [f:\sp\vctools\crt_bld\self_x86\crt\src\crtexe.c @ 589]
002dfffc0 7d4e992a TestApp!wWinMainCRTStartup+0xd [f:\sp\vctools\crt_bld\self_x86\crt\src\crtexe.c @ 414]
002ffff0 00000000 kernel32!BaseProcessStart+0x28

. 1  Id: dac.127c Suspend: 1 Teb: 7efda000 Unfrozen
    Start: 00000001
    Priority: 0 Priority class: 32 Affinity: 3
ChildEBP RetAddr
0242f550 7d626c3f ntdll!NtQueryAttributesFile+0x12
..
0242ff08 7d62b958 ntdll!LdrpCallInitRoutine+0x14
0242ffbc 7d674613 ntdll!LdrShutdownThread+0xd2
0242ffc4 7d665017 ntdll!RtlExitUserThread+0xa
0242fff4 00000000 ntdll!DbgUiRemoteBreakin+0x41

Total threads: 2
```

WinDbg Commands for Memory Handling

Command	Description
d, dd, da, du, ..	Display memory dd == double word values da == display ASCII characters du == display Unicode characters
f	fill memory
!vprot MyAddr	Displays virtual memory protection information for MyAddr
!address MyAddr	Display information (type, protection, usage, ..) about the memory specified by MyAddr
!address -RegionUsageStack	Display stack regions for all threads in the process
dds	Display Words and Symbols
ddp	Display Referenced Memory. If a match to a known symbol is found, this symbol is displayed as well.

Example – Process's Memory Information

```
0:000> !address
00000000 : 00000000 - 00010000
    Type      00000000
    Protect   00000001 PAGE_NOACCESS
    State     00010000 MEM_FREE
    Usage     RegionUsageFree

00010000 : 00010000 - 00001000
    Type      00020000 MEM_PRIVATE
    Protect   00000004 PAGE_READWRITE
    State     00001000 MEM_COMMIT
    Usage     RegionUsageEnvironmentBlock

...
----- Usage SUMMARY -----
TotSize (     KB)  Pct(Tots)  Pct(Busy)  Usage
1950000 ( 25920) : 01.24%   36.03%    : RegionUsageIsVAD
7b9b1000 ( 2025156) : 96.57%   00.00%    : RegionUsageFree
12e2000 ( 19336) : 00.92%   26.88%    : RegionUsageImage
110000 ( 1088) : 00.05%   01.51%    : RegionUsageStack
2000 (     8) : 00.00%   00.01%    : RegionUsageTeb
2a0000 ( 2688) : 00.13%   03.74%    : RegionUsageHeap
1658000 ( 22880) : 01.09%   31.81%    : RegionUsagePageHeap
1000 (     4) : 00.00%   00.01%    : RegionUsagePeb
1000 (     4) : 00.00%   00.01%    : RegionUsageProcessParametrs
1000 (     4) : 00.00%   00.01%    : RegionUsageEnvironmentBlock
Tot: 7fff0000 (2097088 KB) Busy: 0463f000 (71932 KB)

...
----- State SUMMARY -----
TotSize (     KB)  Pct(Tots)  Usage
2efa000 ( 48104) : 02.29%    : MEM_COMMIT
7b9b1000 ( 2025156) : 96.57%    : MEM_FREE
1745000 ( 23828) : 01.14%    : MEM_RESERVE
```

WinDbg Commands for Retrieving Heap Information

Command	Description
<code>!heap -?</code>	Brief help
<code>!heap -h</code>	List heaps with index and range (= startAddr, endAddr)
<code>!heap -s 0</code>	Summary for all heaps = reserved and committed memory, ..
<code>!heap -flt s Size</code>	Dump info for allocations matching Size
<code>!heap -stat</code>	Dump HeapHandle list HeapHandle = value returned by HeapCreate or GetProcessHeap
<code>!heap -stat -h 0</code>	Dump usage statistic for every AllocSize = AllocSize, #blocks, and TotalMem for each AllocSize
<code>!heap -p</code>	GFlags settings, HeapHandle list
<code>!heap -p -all</code>	Details of all allocations in all heaps in the process = all HeapAlloc calls listed
<code>!heap -p -a UserAddr</code>	Details of heap allocation containing UserAddr (i.e. the address returned by HeapAlloc). Prints back traces when available.

More Heap Structs

If page heap **is disabled** for your application, then the following structs apply.

Note that page heap is disabled by default.

- **_HEAP** struct

- Defined in ntdll.dll: dt ntdll!_HEAP
- For every **HeapCreate** there is a unique **_HEAP**
- You can use "!heap -p -all" to get addresses for all **_HEAP** structs in your process

- **_HEAP_ENTRY** struct

- Defined in ntdll.dll: dt ntdll!_HEAP_ENTRY
- For every **HeapAlloc** there is a unique **_HEAP_ENTRY**
- You can use "!heap -p -all" to get addresses for all heap entries in your process

Page Heap Structs

If page heap **is enabled** for your application, then the following structs apply.

You can enable page heap with Global Flags (gflags.exe).

- **_DPH_HEAP_ROOT** struct
 - Defined in ntdll.dll: dt ntdll!_DPH_HEAP_ROOT
 - For every **HeapCreate** there is a unique **_DPH_HEAP_ROOT**
 - You can use "!heap -p -all" to get addresses for all heap roots in your process
 - Usually address of a **_DPH_HEAP_ROOT** = value of HeapHandle + 0x1000
- **_DPH_HEAP_BLOCK** struct
 - Defined in ntdll.dll: dt ntdll!_DPH_HEAP_BLOCK
 - For every **HeapAlloc** there is a unique **_DPH_HEAP_BLOCK**
 - You can use "!heap -p -all" to get addresses for all heap blocks in your process

Who called HeapAlloc?

- Enable stack traces and page heap for your application
 - Start GFlags, select "Create user mode stack trace database" and "Enable page heap" for your image
 - Or from the command line: gflags.exe /i <IMAGE.EXE> +ust +hpa
- Restart your application and attach WinDbg

From WinDbg's command line:

- **!heap -p -a <UserAddr>**
 - <UserAddr> = address of our allocation (returned by HeapAlloc, new, ...)
 - Will dump the call-stack but without source information
- **dt ntdll!_DPH_HEAP_BLOCK StackTrace <MyHeapBlockAddr>**
 - <MyHeapBlockAddr> = DPH_HEAP_BLOCK address retrieved in previous step
 - StackTrace = member of DPH_HEAP_BLOCK which stores the call stack for our HeapAlloc
- **dds <StackTrace>**
 - <StackTrace> = value retrieved in previous step
 - dds will dump the call-stack with source information included

Example - Who called HeapAlloc?

```
// HeapAlloc( 0x00150000, 8, dwBytes =0x00A00000 ) --> 0x025F1000;
```

0:000> !heap -p -a **0x025F1000**
address 025f1000 found in
_DPH_HEAP_ROOT @ 151000
in busy allocation (**DPH_HEAP_BLOCK:** **UserAddr** **UserSize** - VirtAddr VirtSize)
 15449c: **25f1000** **a00000** - 25f0000 a02000
7c91b298 ntdll!RtlAllocateHeap+0x00000e64
0045b8b1 TestApp!CMyDlg::OnBnClicked_HeapAlloc+0x00000051
004016e0 TestApp!_AfxDispatchCmdMsg+0x00000043
004018ed TestApp!CCmdTarget::OnCmdMsg+0x00000118
00408f7f TestApp!CDialog::OnCmdMsg+0x0000001b
...

0:000> dt ntdll!_DPH_HEAP_BLOCK StackTrace **15449c**
+0x024 StackTrace : **0x0238e328** _RTL_TRACE_BLOCK

0:000> dds **0x0238e328**
0238e328 abcdaaaa
...
0238e334 00000001
0238e338 **00a00000**
0238e33c **00151000**
0238e340 01b17b1c
0238e344 0238e348
0238e348 7c91b298 ntdll!RtlAllocateHeap+0xe64
0238e34c 0045b8b1 TestApp!CMyDlg::**OnBnClicked_HeapAlloc**+0x51 [d:\development\sources\TestApp\MyDlg.cpp @ 366]
0238e350 004016e0 TestApp!_AfxDispatchCmdMsg+0x43 [f:\sp\vctools\vc7libs\ship\atlmfc\src\mfc\cmdtarg.cpp @ 82]
0238e354 004018ed TestApp!CCmdTarget::OnCmdMsg+0x118 [f:\sp\vctools\vc7libs\ship\atlmfc\src\mfc\cmdtarg.cpp @ 381]
0238e358 00408f7f TestApp!CDialog::OnCmdMsg+0x1b [f:\sp\vctools\vc7libs\ship\atlmfc\src\mfc\dlgcore.cpp @ 85]
...

Who called HeapCreate?

- Enable stack traces and page heap for your application
 - Start GFlags, select "Create user mode stack trace database" and "Enable page heap" for your image
 - Or from the command line: gflags.exe /i <IMAGE.EXE> +ust +hpa
- Restart your application and attach WinDbg

From WinDbg's command line:

- **!heap -p -h <HeapHandle>**
 - <HeapHandle> = value returned by HeapCreate
 - You can do a “!heap -stat” or “!heap -p” to get a list of heaps for your process and their handles
- **dt ntdll!_DPH_HEAP_ROOT CreateStackTrace <MyHeapRootAddr>**
 - <MyHeapRootAddr> = DPH_HEAP_ROOT address retrieved in previous step
 - CreateStackTrace = member of DPH_HEAP_ROOT which stores the call stack for our HeapCreate call
- **dds <CreateStackTrace>**
 - <CreateStackTrace> = value retrieved in previous step
 - dds will dump the call-stack with source information included

Example - Who called HeapCreate?

```
// HeapCreate( 0x0000000A, 0, 0 ) --> 0x03000000;

0:000> !heap -p -h 0x03000000
_DPH_HEAP_ROOT @ 3001000
Freed and decommitted blocks
DPH_HEAP_BLOCK : VirtAddr VirtSize
Busy allocations
DPH_HEAP_BLOCK : UserAddr UserSize - VirtAddr VirtSize
...
0:000> dt ntdll!_DPH_HEAP_ROOT CreateStackTrace 3001000
+0x08c CreateStackTrace : 0x0238e328 _RTL_TRACE_BLOCK

0:000> dds 0x0238e328
0238e328 abcdaaaa
0238e32c 00000001
0238e330 00000010
0238e334 00000000
0238e338 00000000
0238e33c 00000000
0238e340 00000000
0238e344 0238e348
0238e348 7c93a874 ntdll!RtlCreateHeap+0x41
0238e34c 7c812bff kernel32!HeapCreate+0x55
0238e350 0045b841 TestApp!CMyDlg::OnBnClicked_HeapCreate+0x31 [d:\development\sources\TestApp\MyDlg.cpp @ 345]
0238e354 0040b122 TestApp!_AfxDispatchCmdMsg+0x43 [f:\sp\vctools\vc7libs\ship\atlmfc\src\mfc\cmdtarg.cpp @ 82]
0238e358 0040b32f TestApp!CCmdTarget::OnCmdMsg+0x118 [f:\sp\vctools\vc7libs\ship\atlmfc\src\mfc\cmdtarg.cpp @ 381]
0238e35c 00408838 TestApp!CDialog::OnCmdMsg+0x1b [f:\sp\vctools\vc7libs\ship\atlmfc\src\mfc\dlgcore.cpp @ 85]
...
```

Finding Memory Leaks on the Heap

- **!address –summary**
 - Summary about memory usage for your process. If **RegionUsageHeap** or **RegionUsagePageHeap** is growing constantly, then you might have a memory leak on the heap. Proceed with the following steps.
- Enable stack traces and page heap for your application
- Restart your application and attach WinDbg

From WinDbg's command line:

- **!heap –stat –h 0**
 - Will list down handle specific allocation statistics for every AllocSize. For every AllocSize the following is listed: AllocSize, #blocks, and TotalMem.
 - Take the AllocSize with maximum TotalMem.
- **!heap –flt –s <size>**
 - <size> = size being allocated by HeapAlloc. Value retrieved in previous step.
- **!heap -p -a <UserAddr>**
 - <UserAddr> = address of our allocation (returned by HeapAlloc, new, ...)
 - Will dump the call-stack but without source information. Check the “**Who called HeapAlloc?**” slide for how to proceed to get a call-stack with source information included.

Example - Finding Memory Leaks on the Heap

```
0:001> !heap -stat -h 0
Allocations statistics for
heap @ 00150000
group-by: TOTSIZE max-display: 20
    size      #blocks      total      ( %) (percent of total busy bytes)
  100000     101      - 10100000  (99.99)      → 0x101 * 1MB allocated. Looks like a good candidate for a memory leak.
    928        2      - 1250      (0.00)
    64        24      - e10      (0.00)
...
0:001> !heap -flt s 100000                                → get all allocations with size: 100000
_DPH_HEAP_ROOT @ 151000
Freed and decommitted blocks
    DPH_HEAP_BLOCK : VirtAddr VirtSize
Busy allocations
    DPH_HEAP_BLOCK : UserAddr  UserSize - VirtAddr VirtSize
        024f0698 : 13831000  00100000 - 13830000 00102000
        024f0620 : 13721000  00100000 - 13720000 00102000
...
... → There should be 0x101 entries with size 100000 output here.
    Let's take the first one with UserAddr=0x13831000

0:001> !heap -p -a 13831000
address 13831000 found in
_DPH_HEAP_ROOT @ 151000
in busy allocation (  DPH_HEAP_BLOCK:          UserAddr          UserSize -          VirtAddr          VirtSize)
                    24f0698: 13831000  100000 - 13830000 102000
7c91b298 ntdll!RtlAllocateHeap+0x00000e64
0045b74e TestApp!CMyDlg ::OnBnClicked_DoMemoryLeak+0x0000003e
0040b122 TestApp!_AfxDispatchCmdMsg+0x00000043
0040b32f TestApp!CCmdTarget ::OnCmdMsg+0x00000118
00408838 TestApp!CDialog ::OnCmdMsg+0x0000001b
...
...
```

Critical Section Related Commands

Command	Description
!locks	displays a list of locked critical sections for the process
!locks -v	display all critical sections for the process
!cs [Opt] [CsAddr]	<p>Displays one or more critical sections, or the entire critical section tree.</p> <p>Options:</p> <ul style="list-style-type: none">-l == display only locked sections-s == causes each CS's initialization stack to be displayed-o == causes the owner's stack to be displayed-t == display critical section tree → EnterCntr, WaitCnt, ...
!avrf -cs	Display a list of deleted critical sections (DeleteCriticalSection API)

Example – Critical Section

```
0:000> !cs -s -o 0x0012fe08
-----
Critical section      = 0x0012fe08 (+0x12FE08)
DebugInfo             = 0x031c4fe0
LOCKED
LockCount             = 0x0
OwningThread          = 0x00000c8c
...
OwningThread Stack =
    ChildEBP RetAddr   Args to Child
    0012f488 004badd9 0012f810 02854f10 00000000 ntdll!DbgBreakPoint
    0012f568 0054fd2c 00000000 004bb621 00681d70 TestApp!CMyDialog::OnBnClicked_EnterCs+0x39
    0012f594 00550365 0012fd78 0000001c 00000000 TestApp!_AfxDispatchCmdMsg+0x9c
    0012f5f0 005517f1 0000001c 00000000 00000000 TestApp!CCmdTarget::OnCmdMsg+0x285
    ...
Stack trace for DebugInfo (Initialization Stack)= 0x031c4fe0:
0x7c911a93: ntdll!RtlInitializeCriticalSectionAndSpinCount+0xC9
0x7c809eff: kernel32!InitializeCriticalSection+0xE
0x004c101d: TestApp!CCriticalSection::Init+0x3D
0x004c10a0: TestApp!CCriticalSection::CCriticalSection+0x40
...
0:000> !cs -t
Verifier package version >= 3.00
Tree root 02fd8fd0
Level     Node      CS     Debug  InitThr EnterThr  WaitThr TryEnThr LeaveThr EnterCnt  WaitCnt
-----
 0 02fd8fd0 0012fe08 031c4fe0      c8c      c8c      0       0       0       1       0
 1 02fa8fd0 006807f4 03148fe0      c8c          0       0       0       0       0
 2 02fa2fd0 00680f70 02850fe0      c8c      c8c      0       0      c8c      4848      0
...
```

Other useful WinDbg Commands

Command	Description
dt	Display information about a local variable, function parameter, global variable or data type
dt ntdll!*peb*	List all ntdll.dll variables which contain the word peb
dt ntdll!_PEB	Display type for PEB
dt ntdll!_PEB 7efde000	Dump PEB at address 7efde000
dv	Display local variables
dv /t /i /V	Display local variables /i == classify them into categories (parameters or locals) /V == show addresses and offsets for the relevant base frame register (usually EBP) /t == display type information

Example – dt & dv

```
0:000> dt TestApp!CMyDialog
+0x000 __VFN_table : Ptr32
=00400000 classCObject      : CRuntimeClass
=00400000 classCCmdTarget   : CRuntimeClass
=00400000 _commandEntries  : [0] AFX_OLECMDMAP_ENTRY
=00400000 commandMap       : AFX_OLECMDMAP
=00400000 _dispatchEntries : [0] AFX_DISPMAP_ENTRY
..
+0x004 m_dwRef           : Int4B
+0x008 m_pOuterUnknown    : Ptr32 IUnknown
+0x00c m_xInnerUnknown    : Uint4B
+0x010 m_xDispatch        : CCmdTarget::XDispatch
+0x014 m_bResultExpected : Int4B
+0x018 m_xConnPtContainer : CCmdTarget::XConnPtContainer
+0x01c m_pModuleState     : Ptr32 AFX_MODULE_STATE
=00400000 classCWnd       : CRuntimeClass
+0x020 m_hWnd             : Ptr32 HWND_
..
+0x064 m_lpDialogInit     : Ptr32 Void
+0x068 m_pParentWnd       : Ptr32 CWnd
+0x06c m_hWndTop          : Ptr32 HWND_
+0x070 m_pOccDialogInfo   : Ptr32 _AFX_OCC_DIALOG_INFO
+0x074 m_hIcon            : Ptr32 HICON_
+0x078 m_nn               : Int4B

0:000> dv /t /i /v
prv local 002df440 @ebp-0x08 class CMyDialog * this = 0x002dfe24
prv param 002df450 @ebp+0x08 int nn = 1
```

Pseudo-Registers in WinDbg

- Virtual registers provided by the debugger
- Begin with a dollar sign (\$)

1) Automatic pseudo-registers

- are set by the debugger to certain useful values
- examples: \$ra, \$peb, \$teb, ..

2) User-defined pseudo-registers

- there are twenty user-defined registers: \$t0, \$t1, \$t2, .., \$t19
- integer variables that can be used to store intermediate data
- can additionally hold type-information
- r? assigns a typed result to an lvalue
 - r? \$t0 = @peb->ProcessParameter
 - Assigns a typed value to \$t0
 - \$t0's type is remembered so it can be used in further expressions
 - ?? @\$t0->CommandLine

Automatic Pseudo-Registers

Command	Description
\$ra	Return address currently on the stack. Useful in execution commands, i.e.: “g \$ra”
\$ip	The instruction pointer x86 = EIP, Itanium = IIP, x64 = RIP
\$exentry	Entry point of the first executable of the current process
\$retreg	Primary return value register X86 = EAX, Itanium = ret0, x64 = rax
\$csp	Call stack pointer X86 = ESP, Itanium = BSP, x64 = RSP
\$peb	Address of the process environment block (PEB)
\$teb	Address of the thread environment block (TEB) of current thread
\$tpid	Process ID (PID)
\$tid	Thread ID (tID)
\$ptrsize	Size of a pointer
\$pagesize	Number of bytes in one page of memory
...	See “Pseudo-Registry Syntax” in WinDbg’s help.

Expressions in WinDbg

1) MASM expressions

- evaluated by the ? command
- each symbol is treated as an address (the numerical value of a symbol is the memory address of that symbol → to get its value you must dereference it with poi)
- source line expressions can be used (`myfile.c:43`)
- the at sign for register values is optional (eax or @eax are both fine)
- used in almost all examples in WinDbg's help
- the only expression syntax used prior to WinDbg version 4.0 of Debugging Tools

2) C++ expressions

- evaluated by the ?? command
- symbols are understood as appropriate data types
- source line expressions cannot be used
- the at sign for register values is required (eax will not work)

MASM operations are always byte based. C++ operations follow C++ type rules (including the scaling of pointer arithmetic). In both cases numerals are treated internally as ULONGLONG values.

More About Expressions

- MASM:

- The numerical value of any symbol is its memory address
- Any operator can be used with any number
- Numerals: are interpreted according to the current radix: n [8 | 10 | 16]
 - Can be overridden by a prefix: 0x (hex), 0n (decimal), 0t (octal), 0y (binary)

- C++:

- The numerical value of a variable is its actual value
- Operators can be used only with corresponding data types
- A symbol that does not correspond to a C++ data type will result in a syntax error
- Data structures are treated as actual structures and must be used accordingly. They do not have numerical values.
- The value of a function name or any other entry point is the memory address, treated as a function pointer
- Numerals: the default is always decimal

Can be overridden by a prefix: 0x (hex), 0 (=zero- octal)

Example – Value of a variable

```
// -----
void MyFunction() {
    int nLocalVar = 7;
}
// -----
```

0:000> dd nLocal1 L1
0012f830 00000007

// MASM syntax
// -----

0:000> ? nLocalVar // get address (memory location) of nLocalVar
Evaluate expression: 1243184 = 0012f830

0:000> ? dwo(nLocalVar) // get value of nLocalVar - dereference it
Evaluate expression: 7 = 00000007 // (dwo = double-word, poi = pointer sized data)
0:000> ? poi(nLocalVar)
Evaluate expression: 7 = 00000007

// C++ syntax
// -----

0:000> ?? nLocalVar // get value of nLocalVar
int 7

0:000> ?? & nLocalVar // get address (memory location) of nLocalVar
int * 0x0012f830

Example – MASM vs. C++ Expressions

```
// -----
// The following examples will return:
//   eax == ebx ? 0
//   eax >  ebx ? 1
//   eax <  ebx ? -1
//
// Note that in the C++ syntax:
//   -> the @ is needed to indicate a register value
//   -> an explicit cast from BOOL to int is necessary
//   -> the comparisation operator is a double equal sign (==)
// -----
```

0:000> r eax = 4, ebx = 3

0:000> ? 0*(eax == ebx) + 1*(eax > ebx) + -1*(eax < ebx)

Evaluate expression: 1 = 00000001

0:000> ?? 0*(int) (@eax == @ebx) + 1*(int) (@eax > @ebx) + -1*(int) (@eax < @ebx)

int 1

0:000> r eax = 3, ebx = 4

0:000> ? 0*(eax == ebx) + 1*(eax > ebx) + -1*(eax < ebx)

Evaluate expression: -1 = ffffffff

0:000> ?? 0*(int) (@eax == @ebx) + 1*(int) (@eax > @ebx) + -1*(int) (@eax < @ebx)

int -1

Common Numeric MASM Operators

Unary operators

Operator	Description
dwo, qwo, poi	dwo = dword from specified address; qwo = qword from specified address; poi = pointer-size data from specified address
wo, by	wo = low-order word from specified address by = low-order byte from specified address

Binary operators

Operator	Description
= (or ==), !=	Equal to, not equal to
<, >, <=, >=	Less than, greater than, less than or equal to, greater or equal to
and (or &), xor (or ^), or (or)	Bitwise AND, bitwise XOR, bitwise OR
+, -, *, /	Addition, subtraction, multiplication, division
<<, >>, >>>	Left shift, right shift, arithmetic right shift

Some Non-Numeric Operators in MASM

Operator	Description
\$iment(Address)	Returns the image entry point. Address = image base address
\$scmp("String1", "String2")	Evaluates to -1, 0, or 1. See strcmp.
\$sicmp ("String1", "String2")	Evaluates to -1, 0, or 1. See strcmp.
\$spat ("String", "Pattern")	TRUE → String matches Pattern; FALSE → String doesn't match Pattern; Pattern = can be an alias or string constant but not a memory pointer (i.e. you cannot use a “poi (address)” directly with \$spat. You must save the result into an alias first). Pattern may contain a variety of wildcard specifiers.
\$vvalid(Address, Length)	1 → memory in the given range is valid 0 → memory is invalid

Optimizations

To avoid unnecessary symbol lookup time:

- MASM:
 - The usage of @ for registers is recommended. Otherwise they may be interpreted as symbols.
- C++:
 - Prefix for local symbols: `$!MySymbol`
 - Prefix for global symbols: `<moduleName>!MySymbol`

Example – Structs in C++ Syntax

```
// -----
// For better performance: $!symName           ... for local symbols
// <ModuleName>!symName   ... for global symbols
// -----
0:000> ?? dlg.m_nn
int 0
0:000> ?? $!dlg.m_nn
int 0
0:000> ?? sizeof($!dlg.m_nn)
unsigned int 0xac

0:000> ?? ((MyModule!CMyDlg*) 0x12f878)->m_nn
int 0

0:000> ?? ((ntdll!_TEB*) 0x7ffdf000)->ClientId
struct _CLIENT_ID
    +0x000 UniqueProcess      : 0x000017d8      // → PID
    +0x004 UniqueThread       : 0x00000ea8      // → TID

0:000> ?? @$teb->ClientId                      // The C++ expression evaluator casts
                                                // pseudo-registers to their appropriate types
struct _CLIENT_ID
    +0x000 UniqueProcess      : 0x000017d8
    +0x004 UniqueThread       : 0x00000ea8

0:001> r? $t0 = @$peb->ProcessParameters        // Note that type information is preserved
0:001> ?? @$t0->CommandLine                     // for user-defined pseudo registers
struct _UNICODE_STRING
    ""D:\Development\Sources\CrashMe\release\CrashMe.exe" "
    +0x000 Length            : 0x6a
    +0x002 MaximumLength     : 0x6c
    +0x004 Buffer             : 0x00020724    ""D:\Development\Sources\CrashMe\release\CrashMe.exe" "
```

Example – Pointer Arithmetic

```
// -----
// int myInt[2] = { 1,2 };
// Note that MASM operations are always byte based,
// whereas pointer arithmetic is used for c++ operations.
// -----



// MASM syntax
// -----
0:000> ? myInt
Evaluate expression: 1243256 = 0012f878
0:000> ? dwo(myInt)
Evaluate expression: 1 = 00000001

0:000> ? myInt+4
Evaluate expression: 1243260 = 0012f87c
0:000> ? dwo(myInt+4)
Evaluate expression: 2 = 00000002


// C++ syntax
// -----
0:000> ?? (&myInt)
int * 0x0012f878
0:000> ?? myInt
int [2] 0x0012f878
1

0:000> ?? (&myInt+1)
int * 0x0012f87c
0:000> ?? *(&myInt+1)
int 2
```

Default Expression Evaluator

- The following always use the C++ expression evaluator:
 - ?? command (evaluate C++ expression)
 - the watch window
 - the locals window
- All other commands and debugging information windows use the default expression evaluator
- You can use the **.expr** command to change the default evaluator
 - **.expr** → show current evaluator
 - **.expr /q** → show available evaluators
 - **.expr /s c++** → set c++ as the default expression evaluator
 - **.expr /s masm** → set masm as the default expression evaluator

Mixing Both Evaluators “on-the-fly”

- You can use both expression evaluators within one command
- For mixing both modes: `@@(...)`
 - If any portion of an expression is enclosed in parentheses and prefixed by a double @@, it will be evaluated by the opposite of the current expression evaluator
 - this way you can use two different evaluators for different parameters of a single command
 - It is possible to nest these symbols; each appearance of this symbol switches to the other expression evaluator
- Explicitly specify an expression evaluator
 - `@@c++(...)`
 - `@@masm(...)`

Example – Mixed Expression

```
// -----
// The following command will set the default expression evaluator to
// MASM, and then evaluate Expression1 and Expression3 as MASM
// expressions, while evaluating Expression2 as a C++ expression:
// -----
0:000> .expr /s masm
0:000> ? Expression1 + @@( Expression2 ) + Expression3

0:000> ? `myFile.cpp:118`           // get address of line 118 in myFile.cpp
Evaluate expression: 4570359 = 0045bcf7

// -----
// source-line expressions cannot be used in C++ expressions
// let's nest a MASM expression within a C++ expression
// → store address of line 43 of "myFile.cpp" into nLocalVar
// -----
0:000> ?? nLocalVar = @@(`myFile.cpp:118`)
int 4570359
```

Aliases in WinDbg

- Strings that are automatically replaced with other character strings
- Consist of: alias name + alias equivalent

1) User-named aliases

- Set and named by the user (both are case-sensitive)
- Manipulate by: as or aS (Set Alias), ad (Delete Alias), al (List Aliases)

2) Fixed-name aliases

- Set by the user, named \$u0, \$u1, .. \$u9
- Set by the r (register) command + . (dot) before the “u”

Example: `r $.u0 = "dd esp+8; g"`

3) Automatic aliases

- Set and named by the debugger
- Are similar to automatic pseudo registers, except that they can be used with alias-related tokens such as \${ .. } (pseudo-registers cannot)
- Examples: \$ntsym, \$CurrentDumpFile, \$CurrentDumpPath, ...

User-Named and Fixed-Name Aliases

1) User-named aliases

- By default a user-named alias must be separated from other characters. The first and last character of an alias name must either:
 - begin/end the line or
 - be preceded/followed by a space, semicolon, or quotation mark
- If a user-named alias is touching other text, it must be enclosed in \${ } (Alias interpreter)
- Can be used in the definition of a fixed-name alias
 - To use a user-named alias in the definition of another user-named alias, you need to prefix the **as** or **aS** command with a semicolon (else no alias replacement will occur on that line). Explanation: Any text entered into a line that begins with **as**, **aS**, **ad**, or **al** will not receive alias replacement. If you need aliases replaced in a line that begins with these characters, **prefix it with a semicolon**.
- Are easier to use than fixed-name aliases
 - Their definition syntax is simpler
 - they can be listed using the al (List Aliases) command

2) Fixed-named aliases

- Are automatically replaced if they are used adjacent to other text
- Can be used in the definition of any alias

Commands for User-Named Aliases

Operator	Description
as Name Equivalent as /ma Name Address as /mu Name Address ..	Set alias Set alias to the NULL-terminated ASCII string at Address Set alias to the NULL-terminated Unicode string at Address
ad Name ad *	Delete alias with Name Delete all aliases
al	List user-named aliases
\${Alias} \${/f:Alias} \${/n:Alias} \${/d:Alias}	\${Alias} is replaced by the alias equivalent, even if it is touching other text. If the alias is not defined, the \${Alias} is not replaced Same as above except that \${/f:Alias} is replaced with an empty string if the alias is not defined Evaluates to the alias name Evaluates: 1 = alias defined; 0 = alias not defined

Example - Aliases

```
0:001> as Short kernel32!CreateRemoteThread          // → user-named alias
0:001> uf Short

0:001> r $.u0 = kernel32!CreateRemoteThread         // → fixed-name alias
0:001> uf $u0

0:001> as DoInc r eax=eax+1; r ebx=ebx+1          // → alias used as a macro for commands
0:001> DoInc
0:001> DoInc

// -----
// aliases are replaced as soon as they are used
// -----
0:001> r $.u2 = 2
0:001> r $.u1 = 1+$u2
0:001> r $.u2 = 6
0:001> ? $u1
Evaluate expression: 3 = 00000003

0:001> as two 2
0:001> r $.u1 = 1+ two           // → notice the empty space before two!
0:001> as two 6
0:001> ? $u1
Evaluate expression: 3 = 00000003

// -----
// using a named alias within another named alias
// -----
0:001> as two 2
0:001> as xy1 two + 1          // → xy1 = two + 1
0:001> ;as xy2 two + 1        // → xy2 = 2 + 1          (you must prefix as with a semicolon for a replacement to occur)
```

Debugger Command Programs

- Consist of
 - **debugger commands**
 - **control flow tokens (.if, .for, .while, ..)**
- Variables
 - Use user-named aliases or fixed-name aliases as “local variables”
 - Use pseudo-registers (\$t0, ..) for numeric or typed variables
- For comments use \$\$ [any text]
- A pair of braces {} is used to surround a block of statements
 - When each block is entered **all** aliases within a block are evaluated
 - There must be a control flow token before the opening brace
 - To create a block solely to evaluate aliases use the **.block { .. }**
 - Use \${Alias} (alias interpreter) for user-named aliases that touch other text

Control Flow Tokens

- Used to create execution loops and for conditional execution
- Each condition must be an expression (commands are not permitted)

Command	Description
.block	Performs no action. It is used solely to introduce a block. Note that you cannot simply use {} to create a block.
.if, .else, .elseif	Like the if , else or else if keyword in C
.for, .while, .Break, .continue	Like the for , while , break or continue keyword in C
.foreach	Parses the output of debugger commands, a string or a text file. It then takes each item it finds and uses it as the input to a specified list of debugger commands.

Command Programs Execution

There are several possible ways to execute a program:

- Enter all statements into the debugger window as a single string (commands separated by semicolons)
- Store all statements into a script file and use **\$\$><** to run the file.
\$\$>< (Run Script File):
 - opens the specified file
 - replaces all carriage returns with semicolons
 - executes the resulting text as a single command block

Example – Debugger Command Program

```
$$ -----
$$ From WinDbg's help: "Debugger Command Program Examples"
$$ You will find the full explanation there.
$$ -----  
  
$$ Get module list LIST_ENTRY in $t0.
r? $t0 = &@$peb->Ldr->InLoadOrderModuleList  
  
$$ Iterate over all modules in list.
.for (r? $t1 = *(ntdll!_LDR_DATA_TABLE_ENTRY**) @$t0;
      (@$t1 != 0) & (@$t1 != @$t0);
      r? $t1 = (ntdll!_LDR_DATA_TABLE_ENTRY*)@$t1->InLoadOrderLinks.Flink)
{
    $$ Get base address in $Base.
    as /x ${/v:$Base} @@c++(@$t1->DllBase)  
  
    $$ Get full name into $Mod.
    as /msu ${/v:$Mod} @@c++(&@$t1->FullDllName)  
  
.block
{
    .echo ${$Mod} at ${$Base}
}  
  
ad ${/v:$Base}
ad ${/v:$Mod}
}
```

Useful Breakpoint Commands

Command	Description
bl	Breakpoint list
bp	Set Breakpoint
bu	Set Unresolved Breakpoint: defers the actual setting of the breakpoint until the module is loaded
ba	Break on Access
bc	Breakpoint Clear
be, bd	Breakpoint Enable, Disable

Example – Setting Simple Breakpoints

```
0:000> bu kernel32!LoadLibraryExW
0:000> bu kernel32!CreateProcessW
0:000> bu kernel32!CreateThread
0:000> ba r4 0012fe34          → break on access (read or write); monitor 4 bytes
0:000> ba w2 0012fe38          → break on access (write);      monitor 2 bytes

0:000> bl
0 e 7c801af1    0001 (0001) 0:**** kernel32!LoadLibraryExW
1 e 7c802332    0001 (0001) 0:**** kernel32!CreateProcessW
2 e 7c810637    0001 (0001) 0:**** kernel32!CreateThread
3 e 0012fe34 r 4 0001 (0001) 0:****
4 e 0012fe38 2 2 0001 (0001) 0:****

0:000> bd 0,2          → disable breakpoints 0 and 2
0:000> bc 4            → clear breakpoint 4

0:000> bl
0 d 7c801af1    0001 (0001) 0:**** kernel32!LoadLibraryExW
1 e 7c802332    0001 (0001) 0:**** kernel32!CreateProcessW
2 d 7c810637    0001 (0001) 0:**** kernel32!CreateThread
3 e 0012fe38 r 4 0001 (0001) 0:****
```

Example – More Complex Breakpoints

- Break at specified source code line

```
0:000> bp `mod!source.c:12`
```

- Breakpoint that will starts hitting after 5 passes

```
0:000> bu kernel32!LoadLibraryExW 5
0:001> bl                         // → after 3 passes (0002=remaining count)
0 e 7c801af1 0002 (0005) 0:**** kernel32!LoadLibraryExW
```

- Break only if called from thread ~1

```
0:000> ~1 bu kernel32!LoadLibraryExW
0:001> bl
0 e 7c801af1 0001 (0001) 0:~001 kernel32!LoadLibraryExW
```

- Break at all symbols with pattern myFunc*

```
0:000> bp mod!myFunc*
```

- SymbolPattern is equivalent to using x SymbolPattern

- Break on member methods

```
0:000> bp @@c++( MyClass::MyMethod )
```

- Useful if the same method is overloaded and thus present on several addresses

Example – Breakpoints With Commands

- Skip execution of WinMain

```
0:000> bu MyApp!WinMain "r eip = poi(@esp); r esp = @esp + 0x14; .echo WinSpy!WinMain  
entered; gc"
```

- Right at a function's entry point the value found on the top of the stack contains the return address
 - `r eip = poi(@esp)` → Set EIP (instruction pointer) to the value found at offset 0x0
- WinMain has 4x4 byte parameters = 0x10 bytes + 4 bytes for the return address = 0x14
 - `r esp = @esp + 0x14` → Add 0x14 to ESP, effectively unwinding the stack pointer

- Break only if LoadLibrary is called for MyDLL

```
0:000> bu kernel32!LoadLibraryExW ";as /mu ${/v:MyAlias} poi(@esp+4); .if ( $spat(  
\"${MyAlias}\", \"*MYDLL*\") != 0 ) { kn; } .else { gc }"
```

- The first parameter to LoadLibrary (at address ESP + 4) is a string pointer to the DLL name in question.
- The MASM \$spat operator will compare this pointer to a predefined string-wildcard, this is *MYDLL* in our example.
- Unfortunately \$spat can accept aliases or constants, but no memory pointers. This is why we store our pointer in question to an alias (MyAlias) first.
- Our kernel32!LoadLibraryExW breakpoint will hit only if the pattern compared by \$spat matches. Otherwise the application will continue executing.

Exception Analysis Commands

Command	Description
.lastevent	first-change or second-chance?
!analyze -v	Displays detailed information about the current exception
.exr -1	Display most recent exception
.exr Addr	Display exception at Addr
!cppexpr	Display c++ exception at address 7c901230
g, gH	Go with Exception Handled
gN	Go with Exception Not Handled

Example - Exceptions

```
0:000> .lastevent
Last event: dac.154c: Stack overflow - code c00000fd (first chance)
debugger time: Wed Aug 29 16:04:15.367 2007 (GMT+2)

0:000> .exr -1
ExceptionAddress: 00413fb7 (TestApp!_chkstk+0x00000027)
  ExceptionCode: c00000fd (Stack overflow)
  ExceptionFlags: 00000000
NumberParameters: 2
  Parameter[0]: 00000000
  Parameter[1]: 001e2000

0:000> !analyze -v
FAULTING_IP:
TestApp!_chkstk+27 [F:\SP\vctools\crt_bld\SELF_X86\crt\src\intel\chkstk.asm @ 99]
00413fb7 8500          test     dword ptr [eax],eax
...
```

Remote Debugging with WinDbg

- Target computer (server)
 - Copy `dbgsrv.exe`, `dbgeng.dll` and `dbghelp.dll` to the remote computer
 - Disable the firewall for "dbgsrv.exe"
 - Run → `dbgsrv.exe -t tcp:port=1025`

Windows Vista: Start dbgsrv.exe with admin privileges to see all processes.

- Host computer (client)
 - Run → `WinDbg.exe -premove tcp:server=TargetIP_or_Name,port=1025`
 - File (Menu) → Attach to Process → Select Process on Target Computer that you would like to debug

WinDbg Commands for Remote Debugging

Command	Description
Cdb.exe –QR server(IP or Name)	Lists all debugging servers running on the specified network server.
.detach	Detach from Process
.endpsrv	End dbgsrv.exe on remote computer. This command will kill the debugged process if you don't detach first.
.tlist	lists all processes running on the (remote) system

Monitoring Events

- The debugger engine provides facilities for monitoring and responding to events in the target application
- Events are generally divided into:
 - Exception events


Breakpoint, Access Violation, Stack Overflow, division-by-zero, etc.
For a full list see: Specific Exceptions.
 - Non-exception events

Create Process, Create Thread, Load Module, Unload Module.
For a full list see DEBUG_FILTER_XXX.
- Whenever a debugging session is accessible, there is a last event
 - Command: `.lastevent`

Events Filters in WinDbg

- Provide simple event filtering
- Influence how the debugger engine proceeds after an event occurs in a target
- To list all events: `sx`
- Break or execution status:
 - Influences whether the debugger will break into the target
 - First-chance break on event (`sxe`)
 - Second-chance break event (`sxd`)
 - Debugger message output on event (`sxn`)
 - Ignore event (`sxi`)
- Handling or Continue status:
 - Determines whether an exception event should be considered handled (`gH`) or not-handled (`gN`) in the target

Events Filters Dialog



Execution:

- Enabled - first-chance break (sxe)
- Disabled - second-chance break (sxd)
- Output - message output on event (sxn)
- Ignore - ignore event (sxi)

Continue:

- Handled - Consider event handled when execution resumes
- Not-Handled - Consider event not-handled when execution resumes

Event Arguments

- Some filters take arguments that restrict which events they match
- No arguments → No restriction

Event	Match criteria
Create Process	The name of the created process must match the argument.
Exit Process	The name of the exited process must match the argument.
Load Module	The name of the loaded module must match the argument.
Target Output	The debug output from the target must match the argument.
Unload Module	The base address of the unloaded module must be the same as the argument.

String
wildcard
syntax


Table of Contents - Roadmap

- ✓ Behind the Scenes
- ✓ Using WinDbg
- **Global Flags**
 - Application Verifier
 - Process Dumps

Flags? GFlags? Global Flags!

- GFlags enables and disables features by editing the Windows registry
- GFlags can set **system-wide or image-specific** settings
- Image specific settings are stored in:
 - HKLM\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Image File Execution Options*ImageFileName*\GlobalFlag
- The OS reads these settings and adopts its functionality accordingly
- GFlags can be run from the command line or by using a dialog box
- We can also use !gflags in WinDbg to set or display the global flags
- With GFlags we can enable:
 - heap checking
 - heap tagging
 - Loader snaps
 - Debugger for an Image (automatically attached each time an Image is started)
 - Application verifier
 - Etc.

GFlags Dialog



- **System Registry:** System-wide settings that affect all processes running on Windows. They remain effective until you change them. Restart Windows to make the changes effective.
- **Kernel Flags:** Run-time settings that affect the entire system. They take effect immediately without rebooting, but they are lost if you shut down or restart the system.
- **Image File:** They affect instances of the specified program that start after the command completes. They are saved in the registry and remain effective until you change them.

GFlags: “Show loader snaps” Enabled

WinDbg Output:

```
LDR: LdrLoadDll, loading samlib.dll from
      C:\WINDOWS\system32;C:\WINDOWS\system;C:\WINDOWS\.;C:\WINDOWS\System32\Wbem;C:\WINDOWS\system32\kktools
LDR: Loading (DYNAMIC, NON_REDIRECTED) C:\WINDOWS\system32\samlib.dll
ModLoad: 71bf0000 71c03000  C:\WINDOWS\system32\samlib.dll
LDR: samlib.dll bound to ntdll.dll
LDR: samlib.dll has correct binding to ntdll.dll
LDR: samlib.dll bound to ADVAPI32.dll
LDR: samlib.dll has correct binding to ADVAPI32.dll
LDR: samlib.dll bound to RPCRT4.dll
LDR: samlib.dll has correct binding to RPCRT4.dll
LDR: samlib.dll bound to KERNEL32.dll
LDR: samlib.dll has stale binding to KERNEL32.dll
LDR: samlib.dll bound to ntdll.dll via forwarder(s) from kernel32.dll
LDR: samlib.dll has correct binding to ntdll.dll
LDR: Stale Bind KERNEL32.dll from samlib.dll
LDR: LdrGetProcedureAddress by NAME - RtlAllocateHeap
LDR: LdrGetProcedureAddress by NAME - RtlFreeHeap
LDR: LdrGetProcedureAddress by NAME - RtlGetLastWin32Error
LDR: LdrGetProcedureAddress by NAME - RtlReAllocateHeap
LDR: samlib.dll bound to USER32.dll
LDR: samlib.dll has stale binding to USER32.dll
LDR: Stale Bind USER32.dll from samlib.dll
[d58,690] LDR: Real INIT LIST for process C:\Development\Sources\TestApp\Release\TestApp.exe pid 3416 0xd58
[d58,690]     C:\WINDOWS\system32\samlib.dll init routine 003A0F30
[d58,690] LDR: samlib.dll loaded - Calling init routine at 003A0F30
```

Table of Contents - Roadmap

- ✓ Behind the Scenes
- ✓ Using WinDbg
- ✓ Global Flags
- Application Verifier
- Process Dumps

Get Even More: Enable Application Verifier

- Application Verifier:
 - is a runtime verification tool for Windows applications
 - is monitoring an application's interaction with the OS
 - profiles and tracks:
 - Microsoft Win32 APIs (heap, handles, locks, threads, DLL load/unload, and more)
 - Exceptions
 - Kernel objects
 - Registry
 - File system
 - with **!avrf** we get access to this tracking information

Note: Under the hood Application Verifier injects a number of DLLs (verifier.dll, vrfcore.dll, vfbasics.dll, vfcompat.dll, and more) into the target application. More precisely: It sets a registry key according to the selected tests for the image in question. The windows loader reads this registry key and loads the specified DLLs into the applications address space while starting it.

Application Verifier Variants

GFlags *Application Verifier*

- Only verifier.dll is injected into the target process
- verifier.dll is installed with Windows XP
- Offers a very limited subset of Application Verifier options
- Probably this option in GFlags is obsolete and will eventually be removed (?)

Application Verifier

- Can freely be downloaded and installed from the MS website
- Additionally installs vrfcore.dll, vfbasics.dll, vfcompat.dll, and more into Windows\System32
- Enables much more test options and **full functionality** of the !avr extension

Application Verifier Symbols

Application Verifier is installed with PDB's with full symbol information

- Note the source information included in the disassembly
- These are the only modules from Microsoft that I've seen delivered with full symbol information
- In fact, WinDbg must use these symbols rather than the public ones from the server. Otherwise the !avr extension will not work

```
.reload /f @"C:\Windows\System32\Verifier.pdb"
```

The screenshot shows the WinDbg Disassembly window with the title bar "Disassembly". The assembly code is for the module "vrfcore!VfCoreModuleInfo". The code includes various instructions like push, call, mov, cmp, je, and add, along with their corresponding memory addresses and opcodes. The source file "support.cpp" and line numbers are listed in the first column. The assembly output is in columns for address, opcode, and operands. Some addresses and labels are highlighted in green, indicating they are symbols from the PDB file.

Offset	File	Line	Address	Opcode	Operands
174	support.cpp	1	00374235	6a18	push 18h
174	support.cpp	2	00374237	68689d3700	push offset vrfcore!RtlUnwind+0x68 (00379d68)
174	support.cpp	3	0037423c	e83f560000	call vrfcore!__SEH_prolog4 (00379880)
177	support.cpp	4	00374241	c645e700	mov byte ptr [ebp-19h],0
178	support.cpp	5	00374245	b80d0000c0	mov eax,0C000000Dh
178	support.cpp	6	0037424a	8945dc	mov dword ptr [ebp-24h],eax
179	support.cpp	7	0037424d	33c9	xor ecx,ecx
179	support.cpp	8	0037424f	894de0	mov dword ptr [ebp-20h],ecx
183	support.cpp	9	00374252	394d08	cmp dword ptr [ebp+8],ecx
183	support.cpp	10	00374255	746a	je vrfcore!VfCoreModuleInfo+0x8c (003742c1)
183	support.cpp	11	00374257	8b5d0c	mov ebx,dword ptr [ebp+0Ch]
183	support.cpp	12	0037425a	3bd9	cmp ebx,ecx
183	support.cpp	13	0037425c	7463	je vrfcore!VfCoreModuleInfo+0x8c (003742c1)
183	support.cpp	14	0037425e	394d10	cmp dword ptr [ebp+10h],ecx
183	support.cpp	15	00374261	745e	je vrfcore!VfCoreModuleInfo+0x8c (003742c1)
188	support.cpp	16	00374263	894dfc	mov dword ptr [ebp-4],ecx
190	support.cpp	17	00374266	64a118000000	mov eax,dword ptr fs:[000000018h]
190	support.cpp	18	0037426c	8b4030	mov eax,dword ptr [eax+30h]
190	support.cpp	19	0037426f	8b700c	mov esi,dword ptr [eax+0Ch]
190	support.cpp	20	00374272	83c60c	add esi,0Ch
192	support.cpp	21	00374275	8d45e0	lea eax,[ebp-20h]

Common !avrf Parameters

Command	Description
!avrf	Displays current Application Verifier options. If an Application Verifier Stop has occurred, reveal the nature of the stop and what caused it.
!avrf -cs	Displays the critical section delete* log. * DeleteCriticalSection API. ~CCriticalSection calls this implicitly.
!avrf -hp 5	Displays the heap operation log (last 5 entries). * HeapAlloc, HeapFree, new, delete
!avrf -dlls	Displays the DLL load/unload log.
!avrf -ex	Displays the exception log.
!avrf -cnt	Displays a list of global counters (WaitForSingleObject calls, CreateEvent calls, HeapAllocation calls, ...).
!avrf -threads	Displays information about threads in the target process. For child threads, the stack size and the CreateThread flags specified by the parent are displayed as well.
!avrf -trm	Displays a log of all terminated* and suspended threads. * TerminateThread API

Example – !avr

```
// Right after our application executes:  
// HeapAlloc( 0x00140000, 8, dwBytes =0x0A00000 ) --> 0x033D1000;  
  
0:000> !avr -hp 1  
Verifier package version >= 3.00  
Dumping last 1 entries from tracker @ 01690fd8 with 1291 valid entries ...  
-----  
HeapAlloc: 33D1000 A00000 0 0  
004019cf: TestApp!CMyDialog::OnBnClicked_HeapAlloc+0x4F  
0041a0c1: TestApp!_AfxDispatchCmdMsg+0x3D  
0041a2a6: TestApp!CCmdTarget::OnCmdMsg+0x10A  
0041a76c: TestApp!CDialog::OnCmdMsg+0x1B  
0041d05c: TestApp!CWnd::OnCommand+0x51  
0041d92b: TestApp!CWnd::OnWndMsg+0x2F  
0041b2eb: TestApp!CWnd::WindowProc+0x22  
...  
  
0:000> !avr -threads  
=====  
Thread ID = 0xDE4  
Parent thread ID = 0xE3C  
Start address = 0x004a7d82: TestApp!ILT+11645(?ThreadProcYGKPAXZ)  
Parameter = 0x0061833c  
=====  
Thread ID = 0xE3C  
Initial thread  
=====  
Number of threads displayed: 0x2
```

Table of Contents - Roadmap

- ✓ Behind the Scenes
- ✓ Using WinDbg
- ✓ Global Flags
- ✓ Application Verifier
- Process Dumps

Process Dumps

- A Process's dump
 - is quite similar to a non-invasive attach
 - represents a **snapshot of a process** at a given time
 - varies in size, depending on what contents and information it includes
- With a dump
 - we can examine memory as well as other internal structures of a process
 - we cannot set breakpoints or step through the program execution
- Dump a dump
 - we can always "shrink" a dump with more information to a dump with less information
 - use the .dump command as you would with a live process

Types of Dumps

1) Kernel-mode dumps

Variants: Complete Memory Dump, Kernel Memory Dump, Small Memory Dump


2) Full User-mode dumps

- Generated by WinDbg with ".dump /f" or by Dr. Watson on Windows 2000
- Includes the entire memory space of a process, the program's executable image itself, the handle table
- Widely used in the past, MS is slowly dropping support for it

3) Minidumps

- .dump /m??
- The modern dump format
- Fine-grained control about what is included in the dump (see MSDN: MINIDUMP_TYPE)
- Despite their names, the largest minidump file actually contains more information than a full user-mode dump. For example, .dump /mf or .dump /ma creates a larger and more complete file than ".dump /f"


Determine Type of a Dump



You can load the dump in question into WinDbg. WinDbg will call a minidump a "User Mini Dump File," and the old style crash dump will be called a "User Dump File."

Example – “.dump” Command

```
0:000> .dump /ma  d:\large.dmp      → all possible data: full memory, code sections, PEB and TEB's,  
Creating d:\large.dmp - mini user dump    handle data, thread time information, unloaded module lists, and more  
Dump successfully written  
  
0:000> .dump /m  d:\small.dmp       → only basic information: module information (signatures),  
Creating d:\small.dmp - mini user dump    thread and stack information  
Dump successfully written
```



Choosing the Best Tool

Scenario / Options	ADPlus	Dr. Watson	CDB and WinDbg	UserDump
Application crash (postmortem debugging)	Yes	Yes	Yes	Yes
Application "hang" (stops responding but does not actually crash)	Yes	No	Yes	Yes
Application encounters an exception	Yes	Yes	Yes	Yes
Application is running normally	No	No	Yes	Yes
Application that fails during startup (i.e. missing DLL dependency)	No	No	Yes	Yes
Shrinking an existing dump file	No	No	Yes	No
Dump all running applications with the same image name at once	No	No	No	Yes
Control what information is included in the dump file	No	No ¹	Yes	No ²

1: Always creates a small Minidump --MiniDumpNormal -- with basic information only. It is usually less than 20KB in size.

2: Always creates a Minidump with Full Memory information. It is usually 20-200MB in size.

Your Homework

- Read WinDbg's documentation
 - Memory leaks, handles, deadlocks, breakpoints with conditions, and more. Everything is explained there.
- Learn assembly
 - It will greatly improve your debugging skills
 - Besides WinDbg assembly will be your best friend when it comes to debugging situations

Questions? Suggestions?



- You have a question about WinDbg?
- You are interested in a WinDbg lab or seminar?
- You think that something in “*WinDbg. From A to Z!*” could be improved?
- Or you would just like to say WOW, this presentation was really useful?

- Feel free to drop a line at: **mailrkuster@windbg.info**
The actual email address does not contain the word “mail” – spam prevention.

References

- WinDbg's Documentation, MSDN
- Common WinDbg Commands (Thematically Grouped)
<http://software.rkuster.com/windbg/printcmd.htm>
- Matching Debug Information
<http://www.debuginfo.com/articles/debuginfomatch.html>
- Generating Debug Information with Visual C++
<http://www.debuginfo.com/articles/gendebuginfo.html>
- Microsoft Windows Internals, Fourth Edition
M.E. Russinovich, D.A. Solomon, ISBN 0-7356-1917-4
- Advanced Kernel Debugging
Andre Vachon, PowerPoint, WinHec 2004
- Application Verifier's Documentation